




Zhong shan Yi Mei Guang Lighting Technology Co.,LTD



Die-casting aluminum material

FOCUS ON SOLAR GARDEN LANDSCAPE LIGHTS





CONTENTS



P01~P52 SOLAR GARDEN LIGHT



P53~P54 SOLAR MICROWAVE SENSOR GARDEN LIGHT



P55~P96 SOLAR LAWN LIGHT



P97~P114 SOLAR POLE LIGHT



P115~P126 SOLAR LAWN LIGHT



P127~P156 SOLAR WALL LIGHT



P157~P186 SOLAR PILLAR LIGHT



P187~P192 ELECTRICITY POWER SERIES LAMP EFFECT PICTURE





PRODUCT PARAMETERS

Model	TYD5109-6	TYD5109-3
Material	Die-casting aluminum	Die-casting aluminum
Solar panel	5V/150W	5V/75W
Battery	3.2V/180000mAh	3.2V/90000mAh
Quantity of LED chips	600PCS	300PCS
Charge time	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K
Size	φ2050*H450mm	





PRODUCT PARAMETERS


Model	TYD5105-6	TYD5105-3
Material	Die-casting aluminum	Die-casting aluminum
Solar panel	5V/96W	5V/48W
Battery	3.2V/120000mAh	3.2V/60000mAh
Quantity of LED chips	480PCS	240PCS
Charge time	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K
Size	φ1660*H435mm	φ1660*H435mm



PRODUCT PARAMETERS

Model	TYD5106-6	TYD5106-3
Material	Die-casting aluminum	Die-casting aluminum
Solar panel	5V/66W	5V/33W
Battery	3.2V/80000mAh	3.2V/45000mAh
Quantity of LED chips	360PCS	180PCS
Charge time	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K
Size	φ1260*H390mm	φ1260*H390mm






PRODUCT PARAMETERS

Model	TYD5105-6	TYD5105-3
Material	Die-casting aluminum	Die-casting aluminum
Voltage	220V	220V
Power	420W	210W
Quantity of LED chips	480PCS	240PCS
Rate frequency	50Hz	50Hz
Color temperature	3000-6500K	3000-6500K
Size	φ1660*H435mm	φ1660*H435mm







PRODUCT PARAMETERS

Model	TYD5106-6	TYD5106-3
Material	Die-casting aluminum	Die-casting aluminum
Voltage	220V	220V
Power	240W	150W
Quantity of LED chips	360PCS	180PCS
Rate frequency	50Hz	50Hz
Color temperature	3000-6500K	3000-6500K
Size	φ1660*H435mm	φ1660*H435mm







PRODUCT PARAMETERS

Model	TYD2609
Material	Die-casting aluminum
Solar panel	5V/33W
Battery	3.2V/45000mAh
Quantity of LED chips	150PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	φ585*H550mm







PRODUCT PARAMETERS

Model	TYD3015
Material	Die-casting aluminum+PC
Solar panel	5V/20W
Battery	3.2V/20000mAh
Quantity of LED chips	180PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	396*396*89*H475mm






PRODUCT PARAMETERS

Model	TYD5050
Material	Die-casting aluminum+PC
Solar panel	5V/20W
Battery	3.2V/20000mAh
Quantity of LED chips	90PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	396*396*89*H199mm






PRODUCT PARAMETERS

Model	TYD5108
Material	Die-casting aluminum
Solar panel	5V/25W
Battery	3.2V/36000mAh
Quantity of LED chips	100PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ630*Φ435*H495mm





PRODUCT PARAMETERS

Model	TYD2808
Material	Die-casting aluminum
Solar panel	5V/38W
Battery	3.2V/60000mAh
Quantity of LED chips	150PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ700*Φ520*H665mm






PRODUCT PARAMETERS

Model	TYD2505
Material	Die-casting aluminum
Solar panel	5V/45W
Battery	3.2V/60000mAh
Quantity of LED chips	200PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	580*580*H255mm






PRODUCT PARAMETERS

Model	TYD2806
Material	Die-casting aluminum
Solar panel	5V/33W
Battery	3.2V/45000mAh
Quantity of LED chips	160PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	φ585*H215mm






PRODUCT PARAMETERS

Model	GGD0805
Material	Die-casting aluminum
Solar panel	5V/36W
Battery	3.2V/45000mAh
Quantity of LED chips	160PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	φ560*H230mm







PRODUCT PARAMETERS

Model	TYD2705
Material	Die-casting aluminum+PC
Solar panel	5V/20W
Battery	3.2V/20000mAh
Quantity of LED chips	80PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	φ480*H410mm





PRODUCT PARAMETERS

Model	TYD2403
Material	Die-casting aluminum+PC
Solar panel	5V/20W
Battery	3.2V/20000mAh
Quantity of LED chips	80PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	400*400*H420mm






PRODUCT PARAMETERS

Model	GGD2005-2	GGD2005-3	GGD2005-4
Material	Die-casting aluminum	Die-casting aluminum	Die-casting aluminum
Solar panel	5V/21W	5V/28W	5V/35W
Battery	3.2V/20000mAh	3.2V/30000mAh	3.2V/40000mAh
Quantity of LED chips	80PCS	120PCS	160PCS
Charge time	3-5H	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K	3000-6500K
Size	Φ1070*H3000mm	Φ960*H3000mm	Φ1070*H3000mm






PRODUCT PARAMETERS

Model	TYD3218
Material	Die-casting aluminum+PC
Solar panel	5V/25W
Battery	3.2V/30000mAh
Quantity of LED chips	160PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	536*90*H327mm






PRODUCT PARAMETERS

Model	TYD1218
Material	Die-casting aluminum+PC
Solar panel	5V/25W
Battery	3.2V/30000mAh
Quantity of LED chips	160PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	480*480*90*H285mm






PRODUCT PARAMETERS

Model	TYD6605
Material	Die-casting aluminum+PC
Solar panel	5V/25W
Battery	3.2V/30000mAh
Quantity of LED chips	160PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	537*90*H332mm







PRODUCT PARAMETERS

Model	TYD8805
Material	Die-casting aluminum+PC
Solar panel	5V/25W
Battery	3.2V/30000mAh
Quantity of LED chips	180PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	480*90*H368mm






PRODUCT PARAMETERS

Model	TYD1105
Material	Die-casting aluminum+PC
Solar panel	5V/28W
Battery	3.2V/36000mAh
Quantity of LED chips	160PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	φ530*H580mm






PRODUCT PARAMETERS

Model	GGD003-1	GGD003-2
Material	Die-casting aluminum+PC	Die-casting aluminum+PC
Solar panel	5V/25W	5V/16W
Battery	3.2V/30000mAh	3.2V/16000mAh
Quantity of LED chips	160PCS	80PCS
Charge time	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K
Size	Φ530*H490mm	Φ410*H383mm






PRODUCT PARAMETERS

Model	TYD1104
Material	Die-casting aluminum+PC
Solar panel	5V/25W
Battery	3.2V/30000mAh
Quantity of LED chips	160PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ530*H440mm





PRODUCT PARAMETERS


Model	TYD2508
Material	Die-casting aluminum+PC
Solar panel	5V/20W
Battery	3.2V/20000mAh
Quantity of LED chips	80PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	410*410*H385mm







PRODUCT PARAMETERS

Model	GGD006
Material	Die-casting aluminum+PC
Solar panel	5V/20W
Battery	3.2V/20000mAh
Quantity of LED chips	80PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	480*H405mm






PRODUCT PARAMETERS

Model	GGD001
Material	Die-casting aluminum+PC
Solar panel	5V/20W
Battery	3.2V/20000mAh
Quantity of LED chips	80PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ480*H440mm





PRODUCT PARAMETERS

Model	GGD002-1	GGD002-2
Material	Die-casting aluminum+PC	Die-casting aluminum+PC
Solar panel	5V/20W	5V/12W
Battery	3.2V/20000mAh	3.2V/12000mAh
Quantity of LED chips	80PCS	64PCS
Charge time	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K
Size	400*400*H410mm	320*320*H320mm





PRODUCT PARAMETERS


Model	TYD2808	TYD5108
Material	Die-casting aluminum	Die-casting aluminum
Solar panel	5V/38W	5V/25W
Battery	3.2V/60000mAh	3.2V/36000mAh
Quantity of LED chips	150PCS	100PCS
Working mode	Time control, Microwave sensor, Optical sensor	
Color temperature	3000-6500K	3000-6500K
Size	φ700*φ520*H665mm	φ630*φ435*H495mm



PRODUCT PARAMETERS

Model	TYD2705	TYD2403
Material	Die-casting aluminum	Die-casting aluminum
Solar panel	5V/20W	5V/20W
Battery	3.2V/20000mAh	3.2V/20000mAh
Quantity of LED chips	80PCS	80PCS
Working mode	Time control, Microwave sensor, Optical sensor	
Color temperature	3000-6500K	3000-6500K
Size	φ480*H410mm	400*400*H420mm





PRODUCT PARAMETERS

Model	CPD1618
Material	Die-casting aluminum+PC
Solar panel	5V/2W
Battery	3.2V/3000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	180*H760mm





PRODUCT PARAMETERS

Model	CPD0804	CPD3004
Material	Die-casting aluminum+PC	Die-casting aluminum+PC
Solar panel	5V/2W	5V/2W
Battery	3.2V/3000mAh	3.2V/3000mAh
Quantity of LED chips	20PCS	20PCS
Charge time	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K
Size	Φ185*H500/700mm	Φ185*H500/700mm





PRODUCT PARAMETERS

Model	CPD0907	CPD0705
Material	Die-casting aluminum+PC	Die-casting aluminum+PC
Solar panel	5V/2W	5V/2W
Battery	3.2V/3000mAh	3.2V/3000mAh
Quantity of LED chips	20PCS	20PCS
Charge time	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K
Size	Φ185*H500/700mm	Φ185*H500/700mm





PRODUCT PARAMETERS



Model	CPD4003
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	40PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	225*225*139*H600-800mm








PRODUCT PARAMETERS

Model	CPD3008
Material	Die-casting aluminum
Solar panel	5V/5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	235*150*H600/800/1000mm









Solar energy



3.2V Voltage






Optical sensing

PRODUCT PARAMETERS

Model	CPD8804
Material	Die-casting aluminum
Solar panel	5V/4.5W
Battery	3.2V/6000mAh
Quantity of LED chips	40PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	237*140*H400/600/800/1000mm






PRODUCT PARAMETERS

Model	CPD2804
Material	Die-casting aluminum
Solar panel	5V/5W
Battery	3.2V/6000mAh
Quantity of LED chips	40PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	235*140*H400/600/800/1000mm






PRODUCT PARAMETERS

Model	CPD3202
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	50PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	260*139*89*H400-800mm







PRODUCT PARAMETERS

Model	CPD1201
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	235*235*165*H400-800mm






PRODUCT PARAMETERS

Model	CPD3002
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	50PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	260*139*H400-800mm






PRODUCT PARAMETERS

Model	CPD1008
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	235*235*139*H400-800mm





PRODUCT PARAMETERS




Model	CPD1107
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	40PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	228*139*H400-800mm







PRODUCT PARAMETERS

Model	CPD5405
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ260*Φ120*H500/750mm





PRODUCT PARAMETERS

Model	CPD1004
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	12PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ260*Φ120*H450/700mm






PRODUCT PARAMETERS

Model	ZC-CPD1106-1	ZC-CPD1106-2
Material	Die-casting aluminum+PC	Die-casting aluminum+PC
Solar panel	5V/5W	5V/5W
Battery	3.2V/8000mAh	3.2V/8000mAh
Quantity of LED chips	30PCS	30PCS
Charge time	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K
Size	235*140*H600/800mm	235*140*H600/800mm






PRODUCT PARAMETERS

Model	ZC-CPD3004
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/6000mAh
Quantity of LED chips	20PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ230*Φ150*H300/600/800mm






PRODUCT PARAMETERS

Model	ZC-CPD5004
Material	Die-casting aluminum+PC
Solar panel	5V/5W
Battery	3.2V/6000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	200*140*H400/600/800mm








PRODUCT PARAMETERS

Model	ZC-CPD4104
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ260*Φ150*H350/650/850mm








PRODUCT PARAMETERS

Model	CPD2204
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ260*Φ150*H350/650/850mm





PRODUCT PARAMETERS

Model	CPD2104
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ260*Φ120*H500/750mm





PRODUCT PARAMETERS

Model	CPD2106
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ240*Φ150*H380/680/880mm





PRODUCT PARAMETERS

Model	ZC-GGD4205
Material	Die-casting aluminum+PC
Solar panel	5V/10W
Battery	3.2V/12000mAh
Quantity of LED chips	60PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	300*300*H1000~2600mm





PRODUCT PARAMETERS

Model	GGD4505-1
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ260*H1000/2500mm





PRODUCT PARAMETERS

Model	GGD2601-2	GGD2601-3
Material	Die-casting aluminum+PC	Die-casting aluminum+PC
Solar panel	5V/9W	5V/13.5W
Battery	3.2V/16000	3.2V/24000mAh
Quantity of LED chips	100PCS	150PCS
Charge time	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K
Size	Φ860*H2700mm	Φ760*H2700mm








PRODUCT PARAMETERS

Model	GGD2401-2	GGD2401-3
Material	Die-casting aluminum+PC	Die-casting aluminum+PC
Solar panel	5V/9W	5V/13.5W
Battery	3.2V/16000	3.2V/24000mAh
Quantity of LED chips	100PCS	150PCS
Charge time	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K
Size	Φ870*H2800mm	Φ780*H2800mm








PRODUCT PARAMETERS

Model	GGD2201-2	GGD2201-3
Material	Die-casting aluminum+PC	Die-casting aluminum+PC
Solar panel	5V/9W	5V/13.5W
Battery	3.2V/16000	3.2V/24000mAh
Quantity of LED chips	100PCS	150PCS
Charge time	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K
Size	Φ840*H2800mm	Φ820*H2800mm





PRODUCT PARAMETERS

Model	GGD4505-2	GGD4505-3
Material	Die-casting aluminum+PC	Die-casting aluminum+PC
Solar panel	5V/9W	5V/13.5W
Battery	3.2V/16000	3.2V/24000mAh
Quantity of LED chips	60PCS	90PCS
Charge time	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K
Size	Φ800*H2600mm	Φ750*H2600mm





PRODUCT PARAMETERS

Model	GGD4105-1	GGD4105-2	GGD4105-3
Material	Die-casting aluminum+PC	Die-casting aluminum+PC	Die-casting aluminum+PC
Solar panel	5V/4.5W	5V/9W	5V/13.5W
Battery	3.2V/8000mAh	3.2V/16000mAh	3.2V/24000mAh
Quantity of LED chips	30PCS	60PCS	90PCS
Charge time	3-5H	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K	3000-6500K
Size	Φ260*H1000~2500mm	Φ800*H2600mm	Φ750*H2600mm





PRODUCT PARAMETERS

Model	GGD0203-1	GGD0203-2	GGD0203-3
Material	Die-casting aluminum+PC	Die-casting aluminum+PC	Die-casting aluminum+PC
Solar panel	5V/4.5W	5V/9W	5V/13.5W
Battery	3.2V/8000mAh	3.2V/16000mAh	3.2V/24000mAh
Quantity of LED chips	30PCS	60PCS	90PCS
Charge time	3-5H	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K	3000-6500K
Size	Φ260*H1000~2500mm	Φ800*H2600mm	Φ750*H2600mm





PRODUCT PARAMETERS


Model	GGD2806-1	GGD2806-2	GGD2806-3
Material	Die-casting aluminum+PC	Die-casting aluminum+PC	Die-casting aluminum+PC
Solar panel	5V/5W	5V/10W	5V/15W
Battery	3.2V/8000mAh	3.2V/16000mAh	3.2V/24000mAh
Quantity of LED chips	30PCS	60PCS	90PCS
Charge time	3-5H	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K	3000-6500K
Size	235*235*H1000~2500mm	Φ795*H2600mm	Φ750*H2600mm



PRODUCT PARAMETERS

Model	GGD2806-1	GGD2806-2	GGD2806-3
Material	Die-casting aluminum+PC	Die-casting aluminum+PC	Die-casting aluminum+PC
Solar panel	5V/5W	5V/10W	5V/15W
Battery	3.2V/8000mAh	3.2V/16000mAh	3.2V/24000mAh
Quantity of LED chips	30PCS	60PCS	90PCS
Charge time	3-5H	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K	3000-6500K
Size	235*235*H1000~2500mm	Φ795*H2600mm	Φ750*H2600mm





PRODUCT PARAMETERS

Model	TGD8300	TGD8200	TGD8100
Material	Die-casting aluminum	Die-casting aluminum	Die-casting aluminum
Solar panel	5V/45W	5V/30W	5V/17W
Battery	3.2V/36000mAh	3.2V/30000mAh	3.2V/15000mAh
Quantity of LED chips	96PCS	84PCS	54PCS
Charge time	3-5H	3-5H	3-5H
Color temperature	6500K	6500K	6500K
Lamp Size	335*270*82mm	300*215*76mm	258*215*76mm





PRODUCT PARAMETERS

Model	LD8060	LD8090	LD8120
Material	Die-casting aluminum	Die-casting aluminum	Die-casting aluminum
Solar panel	18V/60W	18V/90W	18V/120W
Battery	3.2V/80000mAh	3.2V/120000mAh	3.2V/160000mAh
Quantity of LED chips	90PCS	120PCS	150PCS
Charge time	3-5H	3-5H	3-5H
Color temperature	6500K	6500K	6500K
Size	823*416*H200mm	1180*416*H200mm	1590*416*H200mm






PRODUCT PARAMETERS

Model	LD8060	LD8090	LD8120
Material	Die-casting aluminum	Die-casting aluminum	Die-casting aluminum
Solar panel	18V/60W	18V/90W	18V/120W
Battery	3.2V/80000mAh	3.2V/120000mAh	3.2V/160000mAh
Quantity of LED chips	90PCS	120PCS	150PCS
Working mode	Time control, Microwave sensor, Optical sensor		
Color temperature	6500K	6500K	6500K
Size	823*416*H200mm	1180*416*H200mm	1590*416*H200mm






PRODUCT PARAMETERS

Model	XYD424	XYD436	XYD448
Material	Die-casting aluminum	Die-casting aluminum	Die-casting aluminum
Solar panel	5V/40W	5V/50W	5V/60W
Battery	3.2V/20000mAh	3.2V/40000mAh	3.2V/60000mAh
Quantity of LED chips	24PCS	48PCS	76PCS
Charge time	3-5H	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K	3000-6500K
Size	610*200*390mm	610*200*390mm	610*200*390mm






PRODUCT PARAMETERS


Model	TED0112	TED0118	TED0124
Material	Die-casting aluminum	Die-casting aluminum	Die-casting aluminum
Solar panel	5V/25W	5V/35W	5V/40W
Battery	3.2V/20000mAh	3.2V/30000mAh	3.2V/40000mAh
Quantity of LED chips	120PCS	120PCS	120PCS
Charge time	3-5H	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K	3000-6500K
Size	400*350*25mm	600*350*25mm	650*350*25mm





PRODUCT PARAMETERS


Model	TGD0215	TGD0224	TGD0230
Material	Die-casting aluminum	Die-casting aluminum	Die-casting aluminum
Solar panel	5V/25W	5V/35W	5V/40W
Battery	3.2V/20000mAh	3.2V/30000mAh	3.2V/40000mAh
Quantity of LED chips	24PCS	24PCS	24PCS
Charge time	3-5H	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K	3000-6500K
Size	400*350*25mm	600*350*25mm	650*350*25mm



PRODUCT PARAMETERS

Model	TYD1215	TED1224	TED1230
Material	Die-casting aluminum	Die-casting aluminum	Die-casting aluminum
Solar panel	5V/25W	5V/35W	5V/40W
Battery	3.2V/20000mAh	3.2V/30000mAh	3.2V/40000mAh
Quantity of LED chips	120PCS	120PCS	120PCS
Charge time	3-5H	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K	3000-6500K
Size	400*350*25mm	600*350*25mm	650*350*25mm







PRODUCT PARAMETERS

Model	BD1006
Material	Die-casting aluminum
Solar panel	5V/5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	235*150*H130mm






PRODUCT PARAMETERS

Model	BD4003
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	40PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	304*H76mm






PRODUCT PARAMETERS

Model	BD1008
Material	Die-casting aluminum
Solar panel	5V/4.5W
Battery	3.2V/6000mAh
Quantity of LED chips	40PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ237*H80mm







PRODUCT PARAMETERS

Model	BD1201
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	235*245*H172mm






PRODUCT PARAMETERS

Model	BD3202
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	50PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	260*280*H225mm






PRODUCT PARAMETERS

Model	BD3002
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	50PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	260*H300mm






PRODUCT PARAMETERS

Model	BD1008
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	50PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	235*H308mm






PRODUCT PARAMETERS

Model	BD4005
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	$\Phi 260 \times H370\text{mm}$





Solar energy



3.2V Voltage




Optical sensing

PRODUCT PARAMETERS

Model	BD1004
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	12PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ260*H330mm





PRODUCT PARAMETERS

Model	BD2104
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ260*H360mm






PRODUCT PARAMETERS

Model	BD2106-1	BD2106-2
Material	Die-casting aluminum+PC	Die-casting aluminum+PC
Solar panel	5V/4.5W	5V/4.5W
Battery	3.2V/8000mAh	3.2V/8000mAh
Quantity of LED chips	30PCS	30PCS
Charge time	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K
Size	Φ240*H450mm	Φ240*H320mm






PRODUCT PARAMETERS

Model	BD4001
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ260*H310mm







PRODUCT PARAMETERS

Model	BD1104
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ260*H300mm





Solar energy



3.2V Voltage




Optical sensing

PRODUCT PARAMETERS

Model	BD6001
Material	Die-casting aluminum+PC
Solar panel	5V/5W
Battery	3.2V/6000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	200*200*H240mm





PRODUCT PARAMETERS

Model	BD3001
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/6000mAh
Quantity of LED chips	20PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ230*H275mm






PRODUCT PARAMETERS

Model	ZTD0804	ZTD0705
Material	Die-casting aluminum+PC	Die-casting aluminum+PC
Solar panel	5V/2W	5V/2W
Battery	3.2V/3000mAh	3.2V/3000mAh
Quantity of LED chips	20PCS	20PCS
Charge time	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K
Size	Φ185*Φ105*H225mm	Φ185*Φ105*H225mm






PRODUCT PARAMETERS

Model	ZTD0907	ZTD3004
Material	Die-casting aluminum+PC	Die-casting aluminum+PC
Solar panel	5V/2W	5V/2W
Battery	3.2V/3000mAh	3.2V/3000mAh
Quantity of LED chips	20PCS	20PCS
Charge time	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K
Size	Φ185*Φ105*H225mm	Φ185*Φ105*H225mm






PRODUCT PARAMETERS

Model	ZTD4205
Material	Die-casting aluminum+PC
Solar panel	5V/10W
Battery	3.2V/12000mAh
Quantity of LED chips	60PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	300*185*H340mm






Solar energy



3.2V Voltage




Optical sensing

PRODUCT PARAMETERS

Model	ZTD1107
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	40PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	228*139*H220mm






PRODUCT PARAMETERS

Model	ZTD3202
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	50PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	260*139*H230mm






PRODUCT PARAMETERS

Model	ZTD1201
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	235*165*H220mm






PRODUCT PARAMETERS

Model	ZTD3002
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	50PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	266*139*H300mm







PRODUCT PARAMETERS

Model	ZTD1008
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	50PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	235*139*H310mm






PRODUCT PARAMETERS

Model	ZTD1106-1	ZTD1106-2
Material	Die-casting aluminum+PC	Die-casting aluminum+PC
Solar panel	5V/5W	5V/5W
Battery	3.2V/8000mAh	3.2V/8000mAh
Quantity of LED chips	30PCS	30PCS
Charge time	3-5H	3-5H
Color temperature	3000-6500K	3000-6500K
Size	235*175*H275mm	235*175*H275mm






PRODUCT PARAMETERS

Model	ZTD5405
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ260*Φ120*H330mm






PRODUCT PARAMETERS

Model	ZTD1004
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	12PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ260*Φ120*H280mm






PRODUCT PARAMETERS

Model	ZTD2106
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ240*Φ120*H370mm






PRODUCT PARAMETERS

Model	ZTD2104
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ260*Φ120*H310mm







PRODUCT PARAMETERS

Model	ZTD2204
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ260*Φ150*H250mm





PRODUCT PARAMETERS

Model	ZTD4104
Material	Die-casting aluminum+PC
Solar panel	5V/4.5W
Battery	3.2V/8000mAh
Quantity of LED chips	30PCS
Charge time	3-5H
Color temperature	3000-6500K
Size	Φ260*Φ150*H250mm



Garden light series

 -GGD2005	 -GGD003	 -TYD1104	 -GGD0805	 -TYD5108	 -TYD2808
 -GGD001	 -GGD002	 -GGD1105	 -TYD2806	 -TYD2505	
 -TYD2403	 -TYD2705	 -TYD2609	 -TYD5105	 -TYD5106	

Electricity power series lamp effect picture



Pole light series



-GGD4505



-GGD4105



-GGD0203



-GGD2806-1



-GGD2806-2



-GGD4205

Lawn light series



-CPD2204



-CPD2104



-CPD5405



-CPD1004



-CPD2804



-CPD5004



-CPD3004



-CPD2106



-CPD4104



-CPD1106

Electricity power series lamp effect picture



Wall lamp series



Pillar light series

